

What is Claimed is:

1. Nucleic acid, comprising 18 ~ 25 nucleotides, which preferentially hybridizes to at least one of the 16S rRNA and the rDNA of chlorinated ethylene-decomposing bacteria and has a base sequence selected from the group consisting of (a) a base sequence of SEQ ID No. 1 through No. 15, (b) a base sequence having at least 90% homology with a base sequence of SEQ ID No. 1 through No. 15, and (c) a base sequence complementary to said base sequence of one of (a) and (b).
5
2. Nucleic acid, comprising 10 ~ 50 nucleotides, which preferentially hybridizes to at least one of the 16S rRNA and the rDNA of chlorinated ethylene-decomposing bacteria, wherein a base sequence of at least 10 individual bases in succession has a base sequence selected from the group consisting of (d) the same as any of base sequences of SEQ ID No. 1 through No. 15, and (e) a base sequence complementary to said base sequence of (d).
10
3. A labeled probe for the detection of chlorinated ethylene-decomposing bacteria comprising said nucleic acid of claim 1 which is labeled by at least one of a radioactive element, enzyme, fluorescent substance, antigen, antibody, and chemical substance.
15

4. A labeled probe for the detection of chlorinated ethylene-decomposing bacteria comprising said nucleic acid of claim 2 which is labeled by at least one of a radioactive element, enzyme, fluorescent substance, antigen, antibody, and chemical substance.

5 5. A method of detecting chlorinated ethylene-decomposing bacteria in a sample, comprising:

 performing PCR (polymerase chain reaction) using said nucleic acid of claim 1 as the primer and a nucleic acid in said sample as template; and

 detecting the DNA fragment that has been synthesized.

10 6. A method of detecting chlorinated ethylene-decomposing bacteria in a sample, comprising:

 performing PCR (polymerase chain reaction) using said nucleic acid of claim 2 as the primer and a nucleic acid in said sample as template; and

 detecting the DNA fragment that has been synthesized.

15 7. A method of detecting chlorinated ethylene-decomposing bacteria, comprising:

 bringing said labeled probe for detecting chlorinated ethylene-decomposing bacteria of claim 3 into contact with one of a sample and nucleic acid prepared from a sample to perform RNA or DNA hybridization; and

DRAFTS & REFS

detecting chlorinated ethylene-decomposing bacteria using the label as an indicator.

8. A method of detecting chlorinated ethylene-decomposing bacteria, comprising:

5 bringing said labeled probe for detecting chlorinated ethylene-decomposing bacteria of claim 4 into contact with one of a sample and nucleic acid prepared from a sample to perform RNA or DNA hybridization; and

detecting chlorinated ethylene-decomposing bacteria using the label as an indicator.

10 9. A method of decomposing at least one of chlorinated ethylene and chlorinated ethane in a substance to be treated, comprising:

performing said detection of chlorinated ethylene-decomposing bacteria of claim 5; and

15 introducing a material, in which chlorinated ethylene-decomposing bacteria have been detected, or a cultivation liquid inoculated with said chlorinated ethylene-decomposing bacteria, to said substance contaminated by chlorinated ethylene or chlorinated ethane.

SEARCHED INDEXED
SERIALIZED FILED

10. The method of decomposing at least one of chlorinated ethylene and chlorinated ethane in a substance to be treated wherein said substance is at least one of underground water and soil.

11. A method of decomposing at least one of chlorinated ethylene and chlorinated ethane in a substance to be treated, comprising:

5 performing said detection of chlorinated ethylene-decomposing bacteria of claim 6; and

10 introducing a material, in which chlorinated ethylene-decomposing bacteria have been detected, or a cultivation liquid inoculated with said chlorinated ethylene-decomposing bacteria, to said substance contaminated by chlorinated ethylene or chlorinated ethane.

12. The method of decomposing at least one of chlorinated ethylene and chlorinated ethane in a substance to be treated according to claim 11 wherein said substance is one of underground water and soil.

15 13. A method of decomposing at least one of chlorinated ethylene and chlorinated ethane in a substance to be treated, comprising:

performing said detection of chlorinated ethylene-decomposing bacteria of claim 7; and

introducing a material, in which chlorinated ethylene-decomposing bacteria have been detected, or a cultivation liquid inoculated with said chlorinated ethylene-decomposing bacteria, to said substance contaminated by chlorinated ethylene or chlorinated ethane.

5 14. The method of decomposing at least one of chlorinated ethylene and chlorinated ethane in a substance to be treated according to claim 13 wherein said substance is one of underground water and soil.

10 15. A method of decomposing at least one of chlorinated ethylene and chlorinated ethane in a substance to be treated, comprising:

10 performing said detection of chlorinated ethylene-decomposing bacteria of claim 8; and

15 introducing a material, in which chlorinated ethylene-decomposing bacteria have been detected, or a cultivation liquid inoculated with said chlorinated ethylene-decomposing bacteria, to said substance contaminated by chlorinated ethylene or chlorinated ethane.

16. The method of decomposing at least one of chlorinated ethylene and chlorinated ethane in a substance to be treated according to claim 15 wherein said substance is one of underground water and soil.

17. A method of decomposing at least one of chlorinated ethylene and chlorinated ethane in a substance to be treated, comprising:

detecting chlorinated ethylene-decomposing bacteria in a material by performing PCR (polymerase chain reaction) using a first nucleic acid as the primer and a nucleic acid in said detection sample as template, and detecting the DNA fragment that has been synthesized;

5
said first nucleic acid comprising 18 ~ 25 nucleotides which preferentially hybridizes to at least one of the 16S rRNA and the rDNA of chlorinated ethylene-decomposing bacteria and has a base sequence selected from the group consisting of (a) a base sequence of SEQ ID No. 1 through No. 15, (b) a base sequence having at least 90% homology with a base sequence of SEQ ID No. 1 through No. 15, and (c) a base sequence complementary to said base sequence of one of (a) and (b); and

10
15
introducing said material, in which chlorinated ethylene-decomposing bacteria have been detected, or a cultivation liquid inoculated with said chlorinated ethylene-decomposing bacteria, to said substance contaminated by chlorinated ethylene or chlorinated ethane.

20
18. The method of decomposing at least one of chlorinated ethylene and chlorinated ethane in a substance to be treated according to claim 17 wherein said substance is one of underground water and soil.

19. A method of decomposing at least one of chlorinated ethylene and chlorinated ethane in a substance to be treated, comprising:

providing a labeled probe for the detection of chlorinated ethylene-decomposing bacteria having a nucleic acid, comprising 18 ~ 25 nucleotides which preferentially hybridizes to at least one of the 16S rRNA and the rDNA of chlorinated ethylene-decomposing bacteria and has a base sequence selected from the group consisting of (a) a base sequence of SEQ ID No. 1 through No. 15, (b) a base sequence having at least 90% homology with a base sequence of SEQ ID No. 1 through No. 15, and (c) a base sequence complementary to said base sequence of one of (a) and (b), which is labeled by at least one of a radioactive element, enzyme, fluorescent substance, antigen, antibody, and chemical substance;

bringing said labeled probe for detecting chlorinated ethylene-decomposing bacteria into contact with a material to perform RNA or DNA hybridization;

detecting chlorinated ethylene-decomposing bacteria using the label as an indicator; and

introducing said material, in which chlorinated ethylene-decomposing bacteria have been detected, or a cultivation liquid inoculated with said chlorinated ethylene-decomposing bacteria, to said substance contaminated by chlorinated ethylene or chlorinated ethane.

TOP SECRET - 10492109

10

15

20

20. The method of decomposing at least one of chlorinated ethylene and chlorinated ethane in a substance to be treated according to claim 19 wherein said substance is one of underground water and soil.